

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 1 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

SECTION 1: Identification

Product Identifier

Product Name: Absco Grand Nxt GEN Clear TRS Sealer

Product code: 93111 -93115

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Not determined or not applicable.

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

Canlak Coatings

1999 Elizabeth Street

North Brunswick, New Jersey 089026316

(732)821-3200

<https://canlakcoatings.com>

Emergency Telephone Number:

United States

CHEMTREC

(703)527-3887 (24 HRS)

(800)424-9300

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin sensitization, category 1

Label elements

Hazard Pictograms:



Signal Word: Warning

Hazard statements:

H317 May cause an allergic skin reaction

Precautionary Statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace

P280 Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 IF ON SKIN: Wash with plenty of water/ ...

P333+P313 If skin irritation or rash occurs: Get medical advice/attention

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 2 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

P321 Specific treatment (see ... on this label)
P363 Wash contaminated clothing before reuse
P501 Dispose of contents/container to...

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

| Identification | Name | Weight % |
|---------------------------|--|----------|
| CAS Number: 7732-18-5 | Water | <16 |
| CAS Number: 107-98-2 | 1-methoxy-2-propanol monopropylene glycol methyl ether | <6 |
| CAS Number: 29911-28-2 | 1-(2-butoxy-1-methylethoxy)propan-2-ol | <4 |
| CAS Number: 57-55-6 | Propane-1,2-diol | <0.1 |

Additional Information: None

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 3 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 4 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|---------------------------|--|------------|--|
| NIOSH | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | REL-TWA: 360 mg/m ³ (100 ppm [for up to a 10-hour workday during a 40-hour workweek]) |
| | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | STEL: 540 mg/m ³ (150 ppm) |
| ACGIH | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | TLV-TWA: 50 ppm (8 hr) |
| | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | 15-Minute STEL: 100 ppm |
| United States(California) | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | 8-Hour TWA: 100 ppm (360 mg/m ³) |
| | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | 15-Minute STEL: 150 ppm (540 mg/m ³) |
| WEEL | Propane-1,2-diol | 57-55-6 | 8-Hour TWA: 10 mg/m ³ |
| OSHA | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | 8-Hour TWA-PEL: 360 mg/m ³ (100 ppm) |
| | 1-methoxy-2-propanol monopropylene glycol methyl ether | 107-98-2 | 15-Minute STEL: 540 mg/m ³ (150 ppm) |

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 5 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

| | |
|---|----------------------|
| Appearance | Whitish liquid |
| Odor | mild amine |
| Odor threshold | Not Applicable |
| pH | 7.5 - 9.0 |
| Melting point/freezing point | Not Applicable |
| Initial boiling point/range | >93° C |
| Flash point (closed cup) | >93° C |
| Evaporation rate | Not Applicable |
| Flammability (solid, gas) | Not Applicable |
| Upper flammability/explosive limit | Not Applicable |
| Lower flammability/explosive limit | Not Applicable |
| Vapor pressure | Not Applicable |
| Vapor density | Not Applicable |
| Density | 8.61 +/- 0.2 Lb/Gal |
| Relative density | 1.04 |
| Solubilities | Dispersible in water |
| Partition coefficient (n-octanol/water) | Not Applicable |
| Auto/Self-ignition temperature | Not Applicable |
| Decomposition temperature | Not Applicable |
| Dynamic viscosity | Not Applicable |
| Kinematic viscosity | Not Applicable |
| Explosive properties | Not Applicable |
| Oxidizing properties | Not Applicable |

Other Information

| | |
|------------|-------|
| VOC (g/l) | < 275 |
|------------|-------|

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 6 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| Name | Route | Result |
|--|------------|---------------------------------------|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | oral | LD50 Rat: 3739 mg/kg |
| | dermal | LD50 Rat: > 2000 mg/kg |
| 1-(2-butoxy-1- methylethoxy)propan-2-ol | dermal | LD50 Rat: >2000 mg/kg |
| | oral | LD50 Rat: 3700 mg/kg |
| Propane-1,2-diol | oral | LD50 Rat: 22000 mg/kg |
| | dermal | LD50 Rabbit: >2000 mg/kg |
| | inhalation | LC50 Rat: >44.9 mg/L (4 hr [aerosol]) |

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Respiratory or Skin Sensitization

Assessment:

May cause an allergic skin reaction.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

| Name | Classification |
|--|----------------|
| Water | Not Applicable |
| 1-methoxy-2-propanol monopropylene glycol methyl ether | Not Applicable |
| Propane-1,2-diol | Not Applicable |

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 7 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

| Name | Classification |
|--|----------------|
| 1-(2-butoxy-1-methylethoxy)propan-2-ol | Not Applicable |

National Toxicology Program (NTP):

| Name | Classification |
|--|----------------|
| Water | Not Applicable |
| 1-methoxy-2-propanol monopropylene glycol methyl ether | Not Applicable |
| Propane-1,2-diol | Not Applicable |
| 1-(2-butoxy-1-methylethoxy)propan-2-ol | Not Applicable |

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

| Name | Result |
|--|------------------------------------|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | May cause drowsiness or dizziness. |

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 8 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| Name | Result |
|--|---|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | Fish LC50 <i>Leuciscus idus</i> : 6812 mg/L (96 hr) |
| | Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 23300 mg/L (48 hr) |
| | Aquatic Plants EC50 <i>Desmodismus subspicatus</i> : > 500 mg/L (72 hr) |
| 1-(2-butoxy-1- methylethoxy)propan-2-ol | Fish LC50 <i>Poecilia reticulata</i> : 841 mg/L (96 hours) |
| | Aquatic Invertebrates EC50 <i>Daphnia magna</i> : >1000 mg/L (48 hours) |
| Propane-1,2-diol | Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 43500 mg/L (48 hr) |
| | Fish LC50 <i>Oncorhynchus mykiss</i> : 40613 mg/L (96 hr) |

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| Name | Result |
|------------------|--|
| Propane-1,2-diol | Aquatic Plants NOEC <i>Pseudokirchneriella subcapitata</i> : 15000 mg/L (14 d) |

Persistence and Degradability

Product Data: No data available.

Substance Data:

| Name | Result |
|--|---|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | This substance is readily biodegradable in water (96% degradation after 28 days). |
| 1-(2-butoxy-1- methylethoxy)propan-2-ol | Readily biodegradable (96% in 28 days). |
| Propane-1,2-diol | Readily biodegradable in water (81.7% degradation in 28 days). |

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

| Name | Result |
|--|---|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | Accumulation in organisms is not to be expected (estimated BCF: 3). |
| Propane-1,2-diol | Low potential for bioaccumulation (calculated BCF: 0.09). |
| 1-(2-butoxy-1- methylethoxy)propan-2-ol | The substance is not expected to bioaccumulate (Log <i>k_{ow}</i> : 1.5). |

Mobility in Soil

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 9 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

| Name | Result |
|--|--|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | This substance is highly mobile; therefore, adsorption to soil is not expected (Koc: 5.93 L/kg). |
| Propane-1,2-diol | Highly mobile (calculated log Koc: 0.46). |

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

| | |
|--|---------------------------|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | The substance is not PBT. |
| 1-(2-butoxy-1- methylethoxy)propan-2-ol | The substance is not PBT. |
| Propane-1,2-diol | The substance is not PBT. |

vPvB assessment:

| | |
|--|----------------------------|
| 1-methoxy-2-propanol monopropylene glycol methyl ether | The substance is not vPvB. |
| 1-(2-butoxy-1- methylethoxy)propan-2-ol | The substance is not vPvB. |
| Propane-1,2-diol | The substance is not vPvB. |

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

Do not dump into any sewers, on the ground or into any body of water. Store material for disposal as indicated in Section 7 Handling and Storage. Dispose of in accordance with local, state, and federal laws and regulations. Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

| | |
|--------------------------------------|---------------|
| UN Number | Not Regulated |
| UN Proper Shipping Name | Not Regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

International Maritime Dangerous Goods (IMDG)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 10 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

| | |
|-------------------------------|---------------|
| UN Number | Not Regulated |
| UN Proper Shipping Name | Not Regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| | |
|-------------------------------|---------------|
| UN Number | Not Regulated |
| UN Proper Shipping Name | Not Regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

| | | |
|----------|--|--------|
| 107-98-2 | 1-methoxy-2-propanol monopropylene glycol methyl ether | Listed |
|----------|--|--------|

New Jersey Right to Know:

| | | |
|----------|--|--------|
| 107-98-2 | 1-methoxy-2-propanol monopropylene glycol methyl ether | Listed |
| 57-55-6 | Propane-1,2-diol | Listed |

New York Right to Know:

| | | |
|----------|--|--------|
| 107-98-2 | 1-methoxy-2-propanol monopropylene glycol methyl ether | Listed |
|----------|--|--------|

Pennsylvania Right to Know:

| | | |
|----------|--|--------|
| 107-98-2 | 1-methoxy-2-propanol monopropylene glycol methyl ether | Listed |
| 57-55-6 | Propane-1,2-diol | Listed |

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Canlak Coatings assumes no responsibility for injury to the vendee or third persons proximately caused by the

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.03.2021

Page 11 of 11

Revision date: 12.16.2021

Absco Grand Nxt GEN Clear TRS Sealer

material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Canlak Coatings assumes no responsibility for injury to vendor or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

NFPA: 1-1-0

HMIS: 1-1-0

Initial Preparation Date: 02.03.2021

Revision date: 12.16.2021

End of Safety Data Sheet