

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 1 of 11

### Craftsman's Choice Stone and Tile Cleaner Concentrate

#### SECTION 1: Identification

##### Product Identifier

**Product Name:** Craftsman's Choice Stone and Tile Cleaner Concentrate

**Product code:** 70012

##### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** Hardwood and Laminate Floor Cleaner

**Uses Advised Against:** Not determined or not applicable.

**Reasons Why Uses Advised Against:** Not determined or not applicable.

##### Manufacturer or Supplier Details

###### Manufacturer:

###### United States

Canlak Coatings

1 Paradise Park Road

Jacksonville, AR 72076

501-985-1172

<https://canlakcoatings.com>

##### Emergency Telephone Number:

###### United States

Infotrac

1-800-535-5053 (24/7)

#### SECTION 2: Hazard(s) Identification

##### GHS Classification:

Specific target organ toxicity - repeated exposure, category 2

Skin irritation, category 2

##### Label elements

###### Hazard Pictograms:



**Signal Word:** Warning

##### Hazard statements:

H315 Causes skin irritation

H373 May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

##### Precautionary Statements:

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P260 Do not breathe dust/fume/gas/mist/vapors/spray

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 2 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

P302+P352 IF ON SKIN: Wash with plenty of water/ ...  
P321 Specific treatment (see ... on this label)  
P332+P313 If skin irritation occurs: Get medical advice/attention  
P362 Take off contaminated clothing and wash it before reuse  
P314 Get medical advice/attention if you feel unwell  
P501 Dispose of contents/container to...

**Hazards Not Otherwise Classified:** None

### SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 34590-94-8	(2-Methoxymethylethoxy)propanol	<2.99
CAS Number: 9036-19-5	Polyethylene glycol mono(octylphenyl) ether	<2.13
CAS Number: 64-02-8	Tetrasodium ethylenediamine tetraacetate	<1.775
CAS Number: 68139-30-0	1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts	<1.1284
CAS Number: 7647-14-5	Sodium chloride	<0.1736

**Additional Information:** None

### SECTION 4: First Aid Measures

#### Description of First Aid Measures

##### General Notes:

Show this Safety Data Sheet to the doctor in attendance.

##### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

##### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

##### After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

##### After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Most Important Symptoms and Effects, Both Acute and Delayed

##### Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 3 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

May cause damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).

### Immediate Medical Attention and Special Treatment

#### Specific Treatment:

Not determined or not applicable.

#### Notes for the Doctor:

Treat symptomatically.

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable Extinguishing Media:

Do not use water jet.

### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways.

Discharge into the environment must be avoided.

### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 4 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	(2-Methoxymethylethoxy)propanol	34590-94-8	TLV-TWA: 50 ppm (8 hr)
OSHA	(2-Methoxymethylethoxy)propanol	34590-94-8	TWA: 600 mg/m <sup>3</sup> (100 ppm)
	(2-Methoxymethylethoxy)propanol	34590-94-8	STEL: 900 mg/m <sup>3</sup> (150 ppm)
NIOSH	(2-Methoxymethylethoxy)propanol	34590-94-8	IDLH: 600 ppm
	(2-Methoxymethylethoxy)propanol	34590-94-8	STEL: 900 mg/m <sup>3</sup> (150 ppm)
	(2-Methoxymethylethoxy)propanol	34590-94-8	REL-TWA: 600 mg/m <sup>3</sup> (100 ppm [up to 10 hr])
United States(California)	(2-Methoxymethylethoxy)propanol	34590-94-8	15-Minute STEL: 900 mg/m <sup>3</sup> (150 ppm)
	(2-Methoxymethylethoxy)propanol	34590-94-8	8-Hour TWA-PEL: 600 mg/m <sup>3</sup> (100 ppm)

### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Personal Protection Equipment

#### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General Hygienic Measures:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 5 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### SECTION 9: Physical and Chemical Properties

#### Information on Basic Physical and Chemical Properties

Appearance	Light yellow liquid
Odor	Pleasant
Odor threshold	N/A
pH	10 - 12
Melting point/freezing point	N/A
Initial boiling point/range	N/A
Flash point (closed cup)	N/A, Non-Flammable
Evaporation rate	N/A
Flammability (solid, gas)	N/A
Upper flammability/explosive limit	N/A
Lower flammability/explosive limit	N/A
Vapor pressure	N/A
Vapor density	N/A
Density	1.01 g/cc
Relative density	1.01
Solubilities	Soluble in water
Partition coefficient (n-octanol/water)	N/A
Auto/Self-ignition temperature	N/A
Decomposition temperature	N/A
Dynamic viscosity	N/A
Kinematic viscosity	N/A
Explosive properties	N/A
Oxidizing properties	N/A

### SECTION 10: Stability and Reactivity

#### Reactivity:

Not reactive under recommended handling and storage conditions.

#### Chemical Stability:

Stable under recommended handling and storage conditions.

#### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

#### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

#### Incompatible Materials:

None known.

#### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 6 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

### SECTION 11: Toxicological Information

#### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Route	Result
Tetrasodium ethylenediamine tetraacetate	oral	LD50 Rat: 1210 mg/kg
Sodium chloride	oral	LD50 Rat: 3000 mg/kg
	inhalation	LC50 Rat: >10.5 mg/L (4 hr [aerosol])
	dermal	LD50 Rabbit: >10,000 mg/kg
Polyethylene glycol mono(octylphenyl) ether	Oral ATE	LD50 Rat: 500 mg/kg
(2-Methoxymethylethoxy)propanol	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rabbit: 9510 mg/kg

#### Skin Corrosion/Irritation

##### Assessment:

Causes skin irritation.

##### Product Data:

No data available.

**Substance Data:** No data available.

#### Serious Eye Damage/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

##### Product Data:

No data available.

##### Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	Causes serious eye damage.
1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts	Causes serious eye irritation.
Polyethylene glycol mono(octylphenyl) ether	Causes serious eye damage.

#### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

##### Product Data:

No data available.

**Substance Data:** No data available.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

**International Agency for Research on Cancer (IARC):**

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 7 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

Name	Classification
Sodium chloride	Not Applicable
1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts	Not Applicable
Polyethylene glycol mono(octylphenyl) ether	Not Applicable
(2-Methoxymethylethoxy)propanol	Not Applicable
Tetrasodium ethylenediamine tetraacetate	Not Applicable

### National Toxicology Program (NTP):

Name	Classification
Sodium chloride	Not Applicable
1-Propanaminium, N-(3-aminopropyl)-2-hydroxy-N,N-dimethyl-3-sulfo-, N-coco acyl derivs., hydroxides, inner salts	Not Applicable
Polyethylene glycol mono(octylphenyl) ether	Not Applicable
(2-Methoxymethylethoxy)propanol	Not Applicable
Tetrasodium ethylenediamine tetraacetate	Not Applicable

**OSHA Carcinogens:** Not applicable

### Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:**

May cause damage to organs through prolonged or repeated exposure.

**Product Data:**

No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 8 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

### Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	Animal studies indicate that chronic exposure can cause damage to organs. Causes changes in tubules (including acute renal failure and necrosis) in intraperitoneal lethal-dose studies of mice; [RTECS]

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product Data:

No data available.

**Substance Data:** No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

#### Other Information:

No data available.

## SECTION 12: Ecological Information

### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Result
(2-Methoxymethylethoxy)propanol	Aquatic Plants EC50 Freshwater green algae: >1000 mg/L (72 h)
	Fish EC50 Pimephales promelas: >10,000 mg/L (96 h [mortality])
	Aquatic Invertebrates EC50 Daphnia magna: 1919 mg/L (48 h [mortality])
Tetrasodium ethylenediamine tetraacetate	Fish LC50 Oncorhynchus mykiss: >100 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 140 mg/L (48 hr)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: >60 mg/L (72 hr)
Sodium chloride	Fish LC50 Lepomis macrochirus: 5840 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 1900 mg/L (48 hr)
Polyethylene glycol mono(octylphenyl) ether	Fish LC50 Oncorhynchus mykiss: 7.2 mg/L (96 hr)

### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	Fish NOEC Danio rerio: $\geq$ 35.1 mg/L (35 d)
	Aquatic Invertebrates NOEC Daphnia magna: 25 mg/L (21 d)
Sodium chloride	Fish NOEC Pimephales promelas: 252 mg/L (33 days)
	Aquatic Invertebrates NOEC Daphnia pulex: 314 mg/L (21 days)
(2-Methoxymethylethoxy)propanol	Aquatic Invertebrates NOEC Daphnia magna: >0.5 mg/L (22 d [reproduction])

### Persistence and Degradability



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 9 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

**Product Data:** No data available.

### Substance Data:

Name	Result
(2-Methoxymethylethoxy)propanol	The substance is readily biodegradable (79% degradation in 28 days, measured by Oxygen consumption).
Tetrasodium ethylenediamine tetraacetate	Biodegradable, but not readily biodegradable (54.9% degradation after 20 days).
Sodium chloride	Degradation/biodegradation testing is not relevant for inorganic substances such as this one.

### Bioaccumulative Potential

**Product Data:** No data available.

### Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	This substance is not expected to bioaccumulate (BCF: 1.8 L/kg).
(2-Methoxymethylethoxy)propanol	The substance is not expected to bioaccumulate (Log Kow: <1).

### Mobility in Soil

**Product Data:** No data available.

### Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	This substance is expected to be moderately mobile (calculated Koc: 312.7 dimensionless).

### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

##### PBT assessment:

Tetrasodium ethylenediamine tetraacetate	This substance is not PBT.
Sodium chloride	This substance is not PBT.
(2-Methoxymethylethoxy)propanol	The substance is not PBT.

##### vPvB assessment:

Tetrasodium ethylenediamine tetraacetate	This substance is not vPvB.
Sodium chloride	This substance is not vPvB.
(2-Methoxymethylethoxy)propanol	The substance is not vPvB.

**Other Adverse Effects:** No data available.

## SECTION 13: Disposal Considerations

### Disposal Methods:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 10 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

Do not dump into any sewers, on the ground or into any body of water. Store material for disposal as indicated in Section 7 Handling and Storage. Dispose of in accordance with local, state, and federal laws and regulations. Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.

### Contaminated packages:

Not determined or not applicable.

## SECTION 14: Transport Information

### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

### International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.

### CERCLA:

64-02-8	Tetrasodium ethylenediamine tetraacetate	Listed	5000 lbs as EDTA
---------	--	--------	------------------

**RCRA:** None of the ingredients are listed.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 01.13.2023

Page 11 of 11

## Craftsman's Choice Stone and Tile Cleaner Concentrate

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:**

34590-94-8	(2-Methoxymethylethoxy)propanol	Listed
------------	---------------------------------	--------

**New Jersey Right to Know:**

34590-94-8	(2-Methoxymethylethoxy)propanol	Listed
------------	---------------------------------	--------

**New York Right to Know:**

34590-94-8	(2-Methoxymethylethoxy)propanol	Listed
------------	---------------------------------	--------

**Pennsylvania Right to Know:**

34590-94-8	(2-Methoxymethylethoxy)propanol	Listed
------------	---------------------------------	--------

**California Proposition 65:**

**⚠️WARNING:** This product can expose you to Nitritotriacetic acid, trisodium salt; which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**Additional information:** Not determined.

## SECTION 16: Other Information

**Abbreviations and Acronyms:** None

**Disclaimer:**

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Canlak Coatings assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Canlak Coatings assumes no responsibility for injury to vendor or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

**NFPA:** 2-0-0

**HMIS:** 2\*-0-0

**Initial Preparation Date:** 01.13.2023

**Revision Notes:**

Revision Date	Notes
2023-01-12	Version 01

**End of Safety Data Sheet**